THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE

IEE Proceedings Part I

Solid-State and Electron Devices

Vol. 127 1980

Published by
The IEE Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ

IEE Proceedings Part I

SOLID-STATE AND ELECTRON DEVICES

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ England

Volume 127 1980 UK ISSN 0143– 7100

HONORARY EDITORS

Dr. J.E.Carroll (University of Cambridge)
Dr. J.Mavor (University of Edinburgh)

Pages in issues of IEE Proceedings Part I, 1980

Pages	Issue no.	Date
1-44	1	February
45-104	2	April
105-148	3	June
149-220	4	August
221-300	5	October
301-336	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center. Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the IEE Proceedings can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
©1980: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Editor in Chief:* J.D.St. Aubyn; *Managing Editor:* B.Dunkley;
Assistant Editor: Laurence Marchini; *Graphics Manager:* M.C.Partridge; *Marketing Manager:* A.N.Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by: Unwin Brothers Ltd. Old Woking, Surrey

INDEX

IEE Proceedings Part I
Solid-State and Electron Devices
Vol. 127, 1980

Abbreviations
- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Ahmad, S. Injection phase delay in high-power Baritt oscillators p109
Alkaisi, M.M., Thompson, M.J., and Allison, J. see Thompson, M.J.
Allison, J., Thompson, M.J., and Alkaisi, M.M. see Thompson, M.J.
Allman, P.G.C., and Simmons, J.G. Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias p140
Allman, P.G.C., and Simmons, J.G. Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias p312
Anantharam, V., and Bhat, K.N. Current gain in bipolar transistors with a field plate over the base surface p15
Anderson, R.J., Deyhimy, I., Eden, R.C., and Harris, J.S. see Deyhimy, I.
Antognetti, P., and Puggelli, G. Scales m.o.s. circuits: performances and simulation p199
Arnodo, C., Nuzillat, G., Damay-Kavala, F., and Bert, G. see Nuzillat, G.

B

Baccarani, G., Landini, F., and Riccó, B. Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility p62
Backensto, W.V., and Viswanathan, C.R. Bias-dependent 1/f noise model of an m.o.s. transistor p87
Backensto, W.V., and Viswanathan, C.R. Techniques for analytically determining surface potential and mobility of an m.o.s. transistor p81
Barry, B.E., Mun, J., Sanghera, G.S., and Vanlint, S.D. see Mun, J.
Bert, G., Nuzillat, G., Damay-Kavala, F., and Arnodo, C. see Nuzillat, G.
Bhat, K.N., and Anantharam, V. see Anantharam, V.
Board, K., and Darwish, M. see Darwish, M.
Borrego, J.M., Vyas, H.P., and Gutman, R.J. see Vyas, H.P.
Bosch, B.G. Device and circuit trends in gigabit logic p254
Boutrit, C., Georges, J.C., and Ravelet, S. Computer technique for solving Schottky barrier from dark forward current-voltage characteristics p250
Brewitt-Taylor, C.R., Robson, P.N., and Sitch, J.E. Noise figure of m.e.s.f.e.t.s. p1
Buxo, J., Sarrabayrouse, G., Owen, A.E., Munoz Yague, A., and Sabaa, J-P. see Sarrabayrouse, G.

C

Card, H.C., and Hwang, W. Minority-carrier injection (dark) metal-polycrystalline silicon contacts p161
Card, H.C., and Panayotatos, P. see Panayotatos, P.
Cathelin, M., Gavant, M., and Rocchi, M. A 3.5 GHz self-aligned single-clocked binary frequency divider on GaAs p270
Chryssafis, A., Sanghera, G.S., and Mogles-tue, C. see Sanghera, G.S.
Clark, D.T., Sykes, R.W., Roberts, G.G., and Fok, T. see Sykes, R.W.
Crosnier, Y., Druelle, Y., and Salmer, G. see Druelle, Y.

D

Damay-Kavala, F., Nuzillat, G., Bert, G., and Arnodo, C. see Nuzillat, G.
Darwish, M., and Board, K. Switching in m.i.s.m. structures p317
Davis, J.R. Degradation behaviour of n-channel m.o.s.f.e.t.s. operated at 77K p183
de Cogan, D. Punch-through diode as a power device p67
De Jaeger, J.C., and Salmer, G. Characteristics of isotype n Ge-n GaAs heterojunctions p207
De Vos, A., and Hindryckx, B. A thin-film transistor with polytetrafluoroethylene as insulator p42
Dekkers, J.J.M., and Tsironis, C. see Tsironis, C.
Deyhimy, I., Anderson, R.J., Eden, R.C., and Harris, J.S. Charge-coupled devices in gallium arsenide p278
Dhariwal, S.R. Measurement of lifetime of photoinjected carriers in solar cells by reverse voltage pulse response p20
Druelle, Y., Crosnier, Y., and Salmer, G. Large-signal behaviour and capability of the transistor transit-time oscillator p72

E

Eden, R.C., Deyhimy, I., Anderson, R.J., and Harris, J.S. see Deyhimy, I.
Engelmann, R.W.H., and Kerps, D. Leaky modes in active three-layer slab waveguides p330

F

Finetti, M., Masetti, G., Nagrini, P., and Solmi, S. Predeposition through a polysilicon layer as a tool to reduce anomalies in phosphorus profiles and the push-out effect in n-p-n transistors p37
Fok, T., Sykes, R.W., Roberts, G.G., and Clark, D.T. see Sykes, R.W.
Förg, P.N., and Freyer, J. see Freyer, J.
Freyer, J., and Förg, P.N. Baritt diodes for K_a-band frequencies p78

G

Gavant, M., Cathelin, M., and Rocchi, M. see Cathelin, M.
Georges, J.C., Boutrit, C., and Ravelet, S. see Boutrit, C.
Golja, B., and Nassibian, A.G. see Nassibian, A.G.
Gutman, R.J., Vyas, H.P., and Borrego, J.M. see Vyas, H.P.

H

Habib, S.E.D., and Simmons, J.G. Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects p111
Habib, S.E.D., and Simmons, J.G. Theory of the metal-insulator-semiconductor thyristor p176
Harris, J.S., Deyhimy, I., Anderson, R.J., and Eden, R.C. see Deyhimy, I.
Haus, H.A. Models of modelocking a laser diode in an external resonator p323
Hillen, M.W., van Linschoten, J., and Snijder, J. see van Linschoten, J.
Hindryckx, B., and De Vos, A. see De Vos, A.
Hwang, W., and Card, H.C. see Card, H.C.

I

in't Veld, G.H., Shore, K.A., and Rozzi, T.E. see Shore, K.A.

J

Janke, W., and Stepowicz, W.J. see Stepowicz, W.J.

K

Kataoka, S., and Tateno, H. see Tateno, H.
Keen, N.J. Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme p188 e296
Kerps, D. Filament displacement and refraction losses in a stripe-geometry AlGaAs d.h. laser p94
Kerps, D., and Engelmann, R.W.H. see Engelmann, R.W.H.
Knott, K.F., and Unwin, R.T. see Unwin, R.T.

L

Landini, F., Baccarani, G., and Riccó, B. see Baccarani, G.
Livingstone, A.W., and Mellor, P.J.T. Capacitor coupling of GaAs depletion-mode f.e.t.s. p297

M

Malhi, S.D.S., and Salama, C.A.T. V-groove isolated b.i.f.e.t. technology for micropower i.c.s. p169
Martin, P.J., and Roberts, G.G. Microcomputer-aided interface-state analysis p133
Masetti, G., Finetti, M., Nagrini, P., and Solmi, S. see Finetti, M.
Mavor, J. Developments in high-speed integrated semiconductor devices (Editorial) p253
Mazzone, A.M., and Rees, H.D. Transferred-electron harmonic generators for millimetre band sources p149
Mellor, P.J.T., and Livingstone, A.W. see Livingstone, A.W.
Moglestue, C., Sanghera, G.S., and Chryssafis, A. see Sanghera, G.S.
Mun, J., Sanghera, G.S., Vanlint, S.D., and Barry, B.E. GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications p98
Munoz Yague, A., Sarrabayrouse, G., Buxo, J., Owen, A.E., and Sabaa, J-P. see Sarrabayrouse, G.

N

Nagrini, P., Finetti, M., Masetti, G., and Solmi, S. see Finetti, M.
Nassibian, A.G., and Golja, B. Investigation of Ar ion implant gettering of gold in silicon by m.o.s. and Rutherford backscattering techniques p29
Neilsen, O.M. Current mechanism of tunnel m.i.s. solar cells p301
Nielsen, O.M. Required minimum value of barrier height in minority-carrier m.i.s. solar cells p105
Nuzillat, G., Damay-Kavala, F., Bert, G., and Arnodo, C. Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s. p287

O

Owen, A.E., Sarrabayrouse, G., Buxo, J., Munoz Yague, A., and Sabaa, J-P. see Sarrabayrouse, G.

P

Panayotatos, P., and Card, H.C. Use of V_{oc}-J_{sc} measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells p308

Phillips, D.H., Taylor, D.M., and Wilson, D.O. see Taylor, D.M.

Puggelli, G., and Antognetti, P. see Antognetti, P.

R

Ravelet, S., Boutrit, C., and Georges, J.C. see Boutrit, C.

Rees, H.D., and Mazzone, A.M. see Mazzone, A.M.

Riccó, B., Baccarani, G., and Landini, F. see Baccarani, G.

Roberts, G.G., and Martin, P.J. see Martin, P.J.

Roberts, G.G., Sykes, R.W., Fok, T., and Clark, D.T. see Sykes, R.W.

Robson, P.N., Brewitt-Taylor, C.R., and Sitch, J.E. see Brewitt-Taylor, C.R.

Rocchi, M., Cathelin, M., and Gavant, M. see Cathelin, M.

Rozzi, T.E., Shore, K.A., and in't Veld, G.H. see Shore, K.A.

S

Sabaa, J-P., Sarrabayrouse, G., Buxo, J., Owen, A.E., and Munoz Yague, A. see Sarrabayrouse, G.

Salama, C.A.T., and Malhi, S.D.S. see Malhi, S.D.S.

Salmer, G., and De Jaeger, J.C. see De Jaeger, J.C.

Salmer, G., Druelle, Y., and Crosnier, Y. see Druelle, Y.

Sanghera, G.S., Chryssafis, A., and Moglestue, C. Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer p203

Sanghera, G.S., Mun, J., Vanlint, S.D., and Barry, B.E. see Mun, J.

Sangster, A.J. Gain/bandwidth predictions for travelling-wave gyrotron p235

Sangster, A.J. Small-signal analysis of the travelling-wave gyrotron using Pierce parameters p45

Sarrabayrouse, G., Buxo, J., Owen, A.E., Munoz Yague, A., and Sabaa, J-P. Inversion-controlled switching mechanism of m.i.s.s. devices p119 e296

Shore, K.A., Rozzi, T.E., and in't Veld, G.H. Semiconductor laser analysis: general method for characterising devices of various cross-sectional geometries p221

Simmons, J.G., and Allman, P.G.C. see Allman, P.G.C.

Simmons, J.G., and Allman, P.G.C. see Allman, P.G.C.

Simmons, J.G., and Habib, S.E.D. see Habib, S.E.D.

Simmons, J.G., and Habib, S.E.D. see Habib, S.E.D.

Sitch, J.E., Brewitt-Taylor, C.R., and Robson, P.N. see Brewitt-Taylor, C.R.

Snijder, J., van Linschoten, J., and Hillen, M.W. see van Linschoten, J.

Solmi, S., Finetti, M., Masetti, G., and Nagrini, P. see Finetti, M.

Stepowicz, W.J., and Janke, W. Electrothermal transients due to self heating in a silicon p-n diode p25

Sykes, R.W., Roberts, G.G., Fok, T., and Clark, D.T. p-type InP/Langmuir film m.i.s. diodes p137

T

Tateno, H., and Kataoka, S. Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry p9

Taylor, D.M., Wilson, D.O., and Phillips, D.H. Gallium arsenide review: past, present and future p266

Thompson, M.J., Alkaisi, M.M., and Allison, J. Conduction in sputtered a-Si-H Schottky-barrier solar cells p212

Tsironis, C., and Dekkers, J.J.M. Gunn oscillations in thin GaAs epilayers and m.e.s.f.e.t.s. p241

U

Unwin, R.T., and Knott, K.F. Comparison of methods used for determining base spreading resistance p53

V

van Linschoten, J., Snijder, J., and Hillen, M.W. Preprocessing of data from spreading-resistance measurements p100

Vanlint, S.D., Mun, J., Sanghera, G.S., and Barry, B.E. see Mun, J.

Viswanathan, C.R., and Backensto, W.V. see Backensto, W.V.

Viswanathan, C.R., and Backensto, W.V. see Backensto, W.V.

Vyas, H.P., Gutman, R.J., and Borrego, J.M. Electron and hole photocurrent effects on impatt oscillators p126

W

Wilson, D.O., Taylor, D.M., and Phillips, D.H. see Taylor, D.M.

Z

Zakzouk, A.K.M. General model for defect formation in silicon dioxide p230 e336

Subject index

ANALOGUE COMPUTERS AND COMPUTATION

Current gain in bipolar transistors with a field plate over the base surface. V.Anantharam and K.N.Bhat p15

BIPOLAR DEVICES

Current gain in bipolar transistors with a field plate over the base surface. V.Anantharam and K.N.Bhat p15

BREAKDOWN AND GAS DISCHARGES

Electron and hole photocurrent effects on impatt oscillators. H.P.Vyas, R.J.Gutman and J.M.Borrego p126

CAPACITANCE AND CAPACITORS

Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor p297
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts p133
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p140
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p312

CHARGE CARRIERS

Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p140
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p312
Techniques for analytically determining surface potential and mobility of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan p81

CHARGE-COUPLED DEVICES

Charge-coupled devices in gallium arsenide. I.Deyhimy, R.J.Anderson, R.C.Eden and J.S.Harris p278

CIRCUIT THEORY AND DESIGN

Developments in high-speed integrated semiconductor devices (Editorial). J.Mavor p253
Device and circuit trends in gigabit logic. B.G.Bosch p254
GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications. J.Mun, G.S.Sanghera, S.D.Vanlint and B.E.Barry p98
Gallium arsenide review: past, present and future. D.M.Taylor, D.O.Wilson and D.H.Phillips p266
Scales m.o.s. circuits: performances and simulation. P.Antognetti and G.Puggelli p199

COMPONENTS

General model for defect formation in silicon dioxide. A.K.M.Zakzouk p230 e336
Noise figure of m.e.s.f.e.t.s.. C.R.Brewitt-Taylor, P.N.Robson and J.E.Sitch p1
Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry. H.Tateno and S.Kataoka p9
Transferred-electron harmonic generators for millimetre band sources. A.M.Mazzone and H.D.Rees p149

COMPUTER APPLICATIONS

Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility. G.Baccarani, F.Landini and B.Riccó p62
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts p133

DIGITAL CIRCUITS

Device and circuit trends in gigabit logic. B.G.Bosch p254
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo p287

DIODES

Characteristics of isotype n Ge-n GaAs heterojunctions. J.C.De Jaeger and G.Salmer p207
Electron and hole photocurrent effects on impatt oscillators. H.P.Vyas, R.J.Gutman and J.M.Borrego p126
Electrothermal transients due to self heating in a silicon p-n diode. W.J.Stepowicz and W.Janke p25
Injection phase delay in high-power Baritt oscillators. S.Ahmad p109
Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme. N.J.Keen p188 e296
Minority-carrier injection (dark) metal-polycrystalline silicon contacts. H.C.Card and W.Hwang p161
Models of modelocking a laser diode in an external resonator. H.A.Haus p323
p-type InP/Langmuir film m.i.s. diodes. R.W.Sykes, G.G.Roberts, T.Fok and D.T.Clark p137

DOPING

Minority-carrier injection (dark) metal-polycrystalline silicon contacts. H.C.Card and W.Hwang p161
V-groove isolated b.i.f.e.t. technology for micropower i.c.s.. S.D.S.Malhi and C.A.T.Salama p169

ELECTRON TUBES

Models of modelocking a laser diode in an external resonator. H.A.Haus p323
Small-signal analysis of the travelling-wave gyrotron using Pierce parameters. A.J.Sangster p45

ENERGY CONVERSION AND STORAGE

Conduction in sputtered a-Si-H Schottky-barrier solar cells. M.J.Thompson, M.M.Alkaisi and J.Allison p212
Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen p301
Investigation of Ar ion implant gettering of gold in silicon by m.o.s. and Rutherford backscattering techniques. A.G.Nassibian and B.Golja p29
Measurement of lifetime of photoinjected carriers in solar cells by reverse voltage pulse response. S.R.Dhariwal p20
Required minimum value of barrier height in minority-carrier m.i.s. solar cells. O.M.Nielsen p105
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card p308

ERRORS AND ERROR ANALYSIS

Preprocessing of data from spreading-resistance measurements. J.van Linschoten, J.Snijder and M.W.Hillen p100

FIELD-EFFECT TRANSISTORS

A 3.5 GHz self-aligned single-clocked binary frequency divider on GaAs. M.Cathelin, M.Gavant and M.Rocchi p270
Capacitor coupling of GaAs depletion-mode f.e.t.s. A.W.Livingstone and P.J.T.Mellor p297
Gunn oscillations in thin GaAs epilayers and m.e.s.f.e.t.s.. C.Tsironis and J.J.M.Dekkers p241
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo p287
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue p203

INSTRUMENTATION AND MEASURING SCIENCE

Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott p53

INSULATORS AND INSULATION

A thin-film transistor with polytetrafluoroethylene as insulator. A.De Vos and B.Hindryckx p42
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts p133
Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects. S.E.D.Habib and J.G.Simmons p111

LASERS

Filament displacement and refraction losses in a stripe-geometry AlGaAs d.h. laser. D.Kerps p94
Leaky modes in active three-layer slab waveguides. R.W.H.Engelmann and D.Kerps p330
Models of modelocking a laser diode in an external resonator. H.A.Haus p323
Semiconductor laser analysis: general method for characterising devices of various cross-sectional geometries. K.A.Shore, T.E.Rozzi and G.H.in't Veld p221

LOGIC

Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor p297
GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications. J.Mun, G.S.Sanghera, S.D.Vanlint and B.E.Barry p98
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo p287

METAL-INSULATOR-SEMICONDUCTOR STRUCTURES

Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen p301
Switching in m.i.s.m. structures. M.Darwish and K.Board p317
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card p308

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p312
Techniques for analytically determining surface potential and mobility of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan p81
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card p308

MICROWAVE COMPONENTS

Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott p53
Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry. H.Tateno and S.Kataoka p9

MICROWAVE SYSTEMS

Small-signal analysis of the travelling-wave gyrotron using Pierce parameters. A.J.Sangster p45

NOISE AND INTERFERENCE

Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott p53
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue p203
Preprocessing of data from spreading-resistance measurements. J.van Linschoten, J.Snijder and M.W.Hillen p100
Techniques for analytically determining surface potential and mobility of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan p81

OPTICAL TRANSMISSION

Filament displacement and refraction losses in a stripe-geometry AlGaAs d.h. laser. D.Kerps p94

PHASING AND PHASE CONTROL

Injection phase delay in high-power Baritt oscillators. S.Ahmad p109

PHOTOELECTRIC DEVICES

Conduction in sputtered a-Si-H Schottky-barrier solar cells. M.J.Thompson, M.M.Alkaisi and J.Allison p212

POWER ELECTRONICS

Punch-through diode as a power device. D.de Cogan p67

PRINTED CIRCUITS

Developments in high-speed integrated semiconductor devices (Editorial). J.Mavor p253
Device and circuit trends in gigabit logic. B.G.Bosch p254
GaAs diode/f.e.t. logic circuits for high-speed-frequency-divider applications. J.Mun, G.S.Sanghera, S.D.Vanlint and B.E.Barry p98
Gallium arsenide review: past, present and future. D.M.Taylor, D.O.Wilson and D.H.Phillips p266
Low pinch-off voltage f.e.t. logic (l.p.f.l.): l.s.i. oriented logic approach using quasinormally off GaAs m.e.s.f.e.t.s.. G.Nuzillat, F.Damay-Kavala, G.Bert and C.Arnodo p287

SCHOTTKY-BARRIER DEVICES

Computer technique for solving Schottky barrier from dark forward current-voltage characteristics. C.Boutrit, J.C.Georges and S.Ravelet p250
Conduction in sputtered a-Si-H Schottky-barrier solar cells. M.J.Thompson, M.M.Alkaisi and J.Allison p212
Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen p301
Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme. N.J.Keen p188 e296
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue p203
p-type InP/Langmuir film m.i.s. diodes. R.W.Sykes, G.G.Roberts, T.Fok and D.T.Clark p137
Required minimum value of barrier height in minority-carrier m.i.s. solar cells. O.M.Nielsen p105
Switching in m.i.s.m. structures. M.Darwish and K.Board p317
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card p308

SEMICONDUCTOR DEVICES AND MATERIALS

A 3.5 GHz self-aligned single-clocked binary frequency divider on GaAs. M.Cathelin, M.Gavant and M.Rocchi p270
Baritt diodes for K_a-band frequencies. J.Freyer and P.N.Förg p78
Bias-dependent 1/f noise model of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan p87
Capacitor coupling of GaAs depletion-mode f.e.t.s.. A.W.Livingstone and P.J.T.Mellor p297
Characteristics of isotype n Ge-n GaAs heterojunctions. J.C.De Jaeger and G.Salmer p207
Charge-coupled devices in gallium arsenide. I.Deyhimy, R.J.Anderson, R.C.Eden and J.S.Harris p278
Comparison of methods used for determining base spreading resistance. R.T.Unwin and K.F.Knott p53
Computer technique for solving Schottky barrier from dark forward current-voltage characteristics. C.Boutrit, J.C.Georges and S.Ravelet p250
Current mechanism of tunnel m.i.s. solar cells. O.M.Neilsen p301
Degradation behaviour of n-channel m.o.s.f.e.t.s. operated at 77K. J.R.Davis p183
Developments in high-speed integrated semiconductor devices (Editorial). J.Mavor p253
Device and circuit trends in gigabit logic. B.G.Bosch p254
Electron and hole photocurrent effects on impatt oscillators. H.P.Vyas, R.J.Gutman and J.M.Borrego p126
Electrothermal transients due to self heating in a silicon p-n diode. W.J.Stepowicz and W.Janke p25
Gallium arsenide review: past, present and future. D.M.Taylor, D.O.Wilson and D.H.Phillips p266
General model for defect formation in silicon dioxide. A.K.M.Zakzouk p230 e336
Gunn oscillations in thin GaAs epilayers and m.e.s.f.e.t.s.. C.Tsironis and J.J.M.Dekkers p241
Injection phase delay in high-power Baritt oscillators. S.Ahmad p109
Inversion-controlled switching mechanism of m.i.s.s. devices. G.Sarrabayrouse, J.Buxo, A.E.Owen, A.Munoz Yague and J-P.Sabaa p119 e296
Investigation of Ar ion implant gettering of gold in silicon by m.o.s. and Rutherford backscattering techniques. A.G.Nassibian and B.Golja p29
Large-signal behaviour and capability of the transistor transit-time oscillator. Y.Druelle, Y.Crosnier and G.Salmer p72
Measurement of lifetime of photoinjected carriers in solar cells by reverse voltage pulse response. S.R.Dhariwal p20
Microcomputer-aided interface-state analysis. P.J.Martin and G.G.Roberts p133
Monte Carlo particle simulation of n-type GaAs field-effect transistors with a p-type buffer layer. G.S.Sanghera, A.Chryssafis and C.Moglestue p203
p-type InP/Langmuir film m.i.s. diodes. R.W.Sykes, G.G.Roberts, T.Fok and D.T.Clark p137

Predeposition through a polysilicon layer as a tool to reduce anomalies in phosphorus profiles and the push-out effect in n-p-n transistors. M.Finetti, G.Masetti, P.Nagrini and S.Solmi p37
Punch-through diode as a power device. D.de Cogan p67
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p140
Quasistatic and nonequilibrium phenomena in m.o.s. structures under the influence of a constant gate-current bias. P.G.C.Allman and J.G.Simmons p312
Scales m.o.s. circuits: performances and simulation. P.Antognetti and G.Puggelli p199
Semiconductor laser analysis: general method for characterising devices of various cross-sectional geometries. K.A.Shore, T.E.Rozzi and G.H.in't Veld p221
Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects. S.E.D.Habib and J.G.Simmons p111
Theory of the metal-insulator-semiconductor thyristor. S.E.D.Habib and J.G.Simmons p176
Topological and experimental analysis of stationary behaviour of transferred-electron devices with nonuniform geometry. H.Tateno and S.Kataoka p9
Transferred-electron harmonic generators for millimetre band sources. A.M.Mazzone and H.D.Rees p149
Use of $V_{oc}J_{sc}$ measurements for determination of barrier height under illumination and for fill-factor calculations in Schottky-barrier solar cells. P.Panayotatos and H.C.Card p308
V-groove isolated b.i.f.e.t. technology for micropower i.c.s.. S.D.S.Malhi and C.A.T.Salama p169

SIMULATION

Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility. G.Baccarani, F.Landini and B.Riccó p62

SWITCHES AND SWITCHING THEORY

Switching in m.i.s.m. structures. M.Darwish and K.Board p317
Theory of switching in p-n-insulator (tunnel)-metal devices: thick-tunnel oxides and indirect tunnel effects. S.E.D.Habib and J.G.Simmons p111

THYRISTORS AND THYRISTOR APPLICATIONS

Theory of the metal-insulator-semiconductor thyristor. S.E.D.Habib and J.G.Simmons p176

TRANSIENTS

Electrothermal transients due to self heating in a silicon p-n diode. W.J.Stepowicz and W.Janke p25
Punch-through diode as a power device. D.de Cogan p67

TRANSISTORS

A thin-film transistor with polytetrafluoroethylene as insulator. A.De Vos and B.Hindrycks p42
Bias-dependent 1/f noise model of an m.o.s. transistor. W.V.Backensto and C.R.Viswanathan p87
Current gain in bipolar transistors with a field plate over the base surface. V.Anantharam and K.N.Bhat p15
Degradation behaviour of n-channel m.o.s.f.e.t.s. operated at 77K. J.R.Davis p183
Depletion-mode m.o.s.f.e.t. model including a field-dependent surface mobility. G.Baccarani, F.Landini and B.Riccó p62
Device and circuit trends in gigabit logic. B.G.Bosch p254
Inversion-controlled switching mechanism of m.i.s.s. devices. G.Sarrabayrouse, J.Buxo, A.E.Owen, A.Munoz Yague and J-P.Sabaa p119 e296
Large-signal behaviour and capability of the transistor transit-time oscillator. Y.Druelle, Y.Crosnier and G.Salmer p72
Noise figure of m.e.s.f.e.t.s.. C.R.Brewitt-Taylor, P.N.Robson and J.E.Sitch p1
Predeposition through a polysilicon layer as a tool to reduce anomalies in phosphorus profiles and the push-out effect in n-p-n transistors. M.Finetti, G.Masetti, P.Nagrini and S.Solmi p37

WAVE PROPAGATION

Gain/bandwidth predictions for travelling-wave gyrotron. A.J.Sangster p235

WAVEGUIDES

Leaky modes in active three-layer slab waveguides. R.W.H.Engelmann and D.Kerps p330
Low-noise millimetre-wave mixer diodes: results and evaluation of a test programme. N.J.Keen p188 e296

Book Reviews

Amorphous semiconductors: M. Brodsky p218
Charged coupled devices and their applications: J.D.E. Beynon and D.R. Lamb p147
Crystal growth bibliography: A.M. Keese, T.F. Connolly and G.C. Battle, Jr. p147
Nondestructive evaluation of semiconductor materials and devices: J.N. Zemel p147
Site characterisation and aggregation of implanted atoms in materials: A. Perez and R. Coussement p218

Conference Publication

178 Fifth European Solid State Circuits Conference - ESSCIRC 79 28